



- SPECS.
- \* OPERATION PRESSURE: BELOW  $5 \times 10^{-10}$  TORR IS DESIRABLE FOR BEST OPERATION.
  - \* BEAM VOLTAGE: 4,000V
  - \* MAXIMUM POWER: 3,000W
  - \* COOLING: WATER 1.5 GPM
  - \* MAXIMUM BAKEOUT TEMPERATURE: 120 °C (150 °F)
  - \* APPROXIMATE WEIGHT 6.2 lbs.

**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THERMIONICS LABORATORY INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THERMIONICS LABORATORY INC. IS PROHIBITED.

DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± N/A ANGULAR: MACH ± BEND ± .5° ONE PLACE DECIMAL ± .1 TWO PLACE DECIMAL ± .01 THREE PLACE DECIMAL ± .005 SURFACE FINISH 63 R.M.S.		FINISH:		DO NOT SCALE DRAWING	REVISION
				<b>Neyco</b>	
DESIGN/ENG.	NAME	SIGNATURE	GEN. USE	TITLE: <b>RCF e-GUN(TM) REAR MALE VCR,          OUTLINE DRAWING</b>	
CHK'D					
APP'VD					
MFG					
Q.A			MATERIAL:	DWG NO.	113802
			WEIGHT: 6.2 lbs.	SCALE: 1:2	SHEET 1 OF 1

A3